



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288117168 | <b>Size:</b>                  | 119x20x4 mm |
| <b>Part number:</b>    | 05022711001   | <b>Weight:</b>                | 10 g        |
| <b>Article number:</b> | 3950 PKL inch | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 82041100    |

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- For socket head screws
- Hex-Plus allows socket head screws to live longer
- Hexagonal ballpoint on the long arm
- Imperial

High quality L-keys out of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.



**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl\\_inch.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl_inch.html)

Wera - 3950 PKL inch  
05022711001 - 4013288117168

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

#### Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

#### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

#### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

#### Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl\\_inch.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl_inch.html)

Wera - 3950 PKL inch  
05022711001 - 4013288117168

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

Further versions in this product family:

|                    | <br>inch | <br>mm | <br>mm | <br>inch | <br>inch |
|--------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 05022710001        | 3/32                                                                                      | 112                                                                                     | 19                                                                                      | 4 7/16                                                                                      | 3/4                                                                                         |
| <b>05022711001</b> | <b>7/64</b>                                                                               | <b>119</b>                                                                              | <b>20</b>                                                                               | <b>4 3/4</b>                                                                                | <b>25/32</b>                                                                                |
| 05022712001        | 1/8                                                                                       | 123                                                                                     | 21                                                                                      | 4 7/8                                                                                       | 27/32                                                                                       |
| 05022713001        | 9/64                                                                                      | 130                                                                                     | 22                                                                                      | 5 3/16                                                                                      | 29/32                                                                                       |
| 05022714001        | 5/32                                                                                      | 137                                                                                     | 24                                                                                      | 5 3/8                                                                                       | 1                                                                                           |
| 05022715001        | 3/16                                                                                      | 154                                                                                     | 27                                                                                      | 6 1/16                                                                                      | 1 1/16                                                                                      |
| 05022716001        | 1/4                                                                                       | 185                                                                                     | 34                                                                                      | 7 1/4                                                                                       | 1 5/16                                                                                      |
| 05022717001        | 5/16                                                                                      | 195                                                                                     | 37                                                                                      | 7 11/16                                                                                     | 1 7/16                                                                                      |
| 05022718001        | 3/8                                                                                       | 224                                                                                     | 42                                                                                      | 9                                                                                           | 1 11/16                                                                                     |

## Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_pkl\\_inch.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl_inch.html)

Wera - 3950 PKL inch  
 05022711001 - 4013288117168

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: [info@wera.de](mailto:info@wera.de)