



<b>EAN:</b>	4013288117281	<b>Size:</b>	274x122x40 mm
<b>Part number:</b>	05022721001	<b>Weight:</b>	715 g
<b>Article number:</b>	3950/9 Hex-Plus Imperial Stainless 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- L-keys are quickly to hand thanks to their size markings
- In a robust belt pouch

High quality L-key set out of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Includes a practical belt pouch.

**Web link**

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_9\\_hex-plus\\_imperial\\_stainless\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html)

Wera - 3950/9 Hex-Plus Imperial Stainless 1  
05022721001 - 4013288117281

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### Set contents:



3950 PKL inch	
05022710001	1 x 3/32" x 112 mm
05022711001	1 x 7/64" x 119 mm
05022712001	1 x 1/8" x 123 mm
05022713001	1 x 9/64" x 130 mm
05022714001	1 x 5/32" x 137 mm
05022715001	1 x 3/16" x 154 mm
05022716001	1 x 1/4" x 185 mm
05022717001	1 x 5/16" x 195 mm
05022718001	1 x 3/8" x 224 mm

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraneous rust forming.

### Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_9\\_hex-plus\\_imperial\\_stainless\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html)

Wera - 3950/9 Hex-Plus Imperial Stainless 1  
05022721001 - 4013288117281

Wera Werkzeuge GmbH  
Körzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

### Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_3950\\_9\\_hex-plus\\_imperial\\_stainless\\_1.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html)

Wera - 3950/9 Hex-Plus Imperial Stainless 1  
05022721001 - 4013288117281

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)