



|                        |               |                               |           |
|------------------------|---------------|-------------------------------|-----------|
| <b>EAN:</b>            | 4013288105165 | <b>Size:</b>                  | 50x7x6 mm |
| <b>Part number:</b>    | 05134929001   | <b>Weight:</b>                | 7 g       |
| <b>Article number:</b> | 851/4 A PH    | <b>Country of origin:</b>     | CZ        |
|                        |               | <b>Customs tariff number:</b> | 82079030  |

- For Phillips screws
- Particularly hard for semi-hard materials
- Profiled version
- 1/4" hexagon drive (Wera connecting series 4)
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.

High quality Wera bit for Phillips screws. It has a sharp-edged profile that ensures a dependable transfer of power between the bit and screw by breaking off the paint e.g. when screw profiles are covered in it. Extra-hard design: 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_phillips\\_screws\\_851\\_4\\_a\\_ph.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_4_a_ph.html)

Wera - 851/4 A PH  
05134929001 - 4013288105165

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## A-Bits



A stands for aviation. A bits are particularly hard bits with a sharp-edged profile which e.g. penetrates screw profiles full of paint (such as on fuselage panels) ensuring a dependable transfer of force between the bit and the screw.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_phillips\\_screws\\_851\\_4\\_a\\_ph.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_4_a_ph.html)

Wera - 851/4 A PH  
05134929001 - 4013288105165

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Further versions in this product family:



mm



inch



mm

| 05134929001               | PH 0 | 50  | 2     | 3   |
|---------------------------|------|-----|-------|-----|
| 05134906001               | PH 0 | 70  | 2 3/4 | 3   |
| 05134907001               | PH 0 | 89  | 3 1/2 | 3   |
| 05134908001               | PH 0 | 152 | 6     | 3   |
| 05134930001               | PH 1 | 50  | 2     | 4.5 |
| 05134370001               | PH 1 | 70  | 2 3/4 | 4.5 |
| 05134372001               | PH 1 | 89  | 3 1/2 | 4.5 |
| 05134909001               | PH 1 | 152 | 6     | 4.5 |
| 05134931001               | PH 2 | 50  | 2     | 6   |
| 05134371001               | PH 2 | 70  | 2 3/4 | 6   |
| 05134373001               | PH 2 | 89  | 3 1/2 | 6   |
| 05134910001 <sup>1)</sup> | PH 2 | 152 | 6     | 6   |
| 05134911001 <sup>2)</sup> | PH 2 | 152 | 6     | 6   |
| 05134932001               | PH 3 | 50  | 2     | -   |
| 05134912001               | PH 3 | 50  | 2     | 8   |
| 05134913001               | PH 3 | 70  | 2 3/4 | 8   |
| 05134914001               | PH 3 | 89  | 3 1/2 | 8   |
| 05134915001               | PH 3 | 152 | 6     | 8   |
| 05160983001               | PH 4 | 50  | 2     | 10  |

1) Length of drive 100 mm

2) Length of drive 20 mm

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_bits\\_bits\\_for\\_phillips\\_screws\\_851\\_4\\_a\\_ph.html](https://products.wera.de/en/bits_holders_adaptors_the_range_of_bits_bits_for_phillips_screws_851_4_a_ph.html)

Wera - 851/4 A PH

05134929001 - 4013288105165

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)