



used for:	D-SUB DUAL PORT
-----------	-----------------



APPROVAL # FREIGABE # DEBLÖCKAGE # AUTORIZACION # APPROVAL
CUSTOMER APPROVAL DATE:

NAME: TITLE:


COMPANY NAME:

APPROVAL # FREIGABE # DEBLOCKAGE # AUTOR/ZACON # APPROVAL	CUSTOMER APPROVAL DATE:
NAME:	TITLE:
COMPANY NAME:	
APPROVAL # FREIGABE # DEBLOCKAGE # AUTOR/ZACON # APPROVAL	APPROVAL # FREIGABE # DEBLOCKAGE # AUTOR/ZACON # APPROVAL

THIS DRAWING MAY NOT BE COPIED OR
REPRODUCED IN ANY WAY, AND MAY NOT
BE PASSED ON TO A THIRD PARTY WITHOUT
WRITTEN PERMISSION.
OWNERSHIP AND COPYRIGHT OF CONEC GmbH
DO NOT ALTER CAD DRAWING BY HAND

[illegible]

tolerance		dim. in mm		
		2003	date	name
		drawn	28.11.	Leimkuhler
		appd.	01.12.	Mickenbecker
		norm	DIN 41652	
d-old				



scale:	2:1
material:	SEE SHEET 1
title:	

P.C.B. HOLE DRILLINGS
DUAL PORT 15.88mm MALE / MALE
with threaded insert and PCB clip

dwg no


16K1A1057

AutocAD 2000


part no: SEE SHEET 17

$$\frac{3}{h:2/3}$$

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---



THIS DRAWING MAY NOT BE COPIED OR
REPRODUCED IN ANY WAY, AND MAY NOT
BE PASSED ON TO A THIRD PARTY WITHOUT
WRITTEN PERMISSION.
OWNERSHIP AND COPYRIGHT OF CONEC GmbH
DO NOT ALTER CAD DRAWING BY HAND

tolerance		2:1	
		scale:	
dim. in mm		material: SEE SHEET 1	
2003	date	title:	
28.11	name	P.C.B. HOLE DRILLINGS	
0112	Lehrmehnhöher	DUAL PORT 15.8mm MALE / MALE	
norm	Mickelbacher	with threaded insert and PCB clip	
d-rid	DN 4.652	dwg no: AutoCAD 2000	
		DN-A	
		3	
		Sh.3/3	
		part no: SEE SHEET 1	
		16K1A1057	