


EXIOS +MZ brass blank

Item number 16Z5640070



Technical data

Material	Brass
Seal	VMQ (silicone)
Material o-ring	VMQ (silicone)
Clamping insert	Polyamide 6
Armour	Metallic armour or screen
Protection class	IP 68 - 5 bar, IP 67, IP 66
Ex-protection level	Class I Div 2 Groups A,B,C,D, Class II Div 1 Groups E,F,G , II 1D Ex ta IIIC Da, II 2G Ex eb IIC Gb
Temperature range	-60°C to +105°C
Variant	NPT
External thread (AG)	NPT 1 1/2"
Size	40
A1	28 - 39.5 mm
A2	22 - 33 mm
Thread length (GL)	26,5 mm



ATEX

ABS



Dimensions and specifications may be changed without prior notice

www.hummel.com

EXIOS +MZ brass blank

Item number 16Z5640070

Height (H)	120 mm
Wrench size (SW1/SW2)	55/55 mm
D	64 mm
Armouring clamping ring 1	- 0,7 mm
Armouring clamping ring 2	1,3 - 2 mm
Armouring clamping ring 3 (optional)	0,7 - 1,4 mm
Tightening torque	50 Nm

EXIOS +MZ brass blank

Item number 16Z5640070

Commercial data

Packaging Unit	1
EAN code	4033878001479
Weight	1.162 kg
ETIM 7	EC000441
eCl@ss 10.1	27-14-44-34

Note:

