



PRODUCT-DETAILS

TY26M-1

CABLE TIE 40LB 11IN BROWN NYLON



General Information

Extended Product Type	TY26M-1
Product ID	7TAG009000R0234
EAN	5414363062783
Catalog Description	CABLE TIE 40LB 11IN BROWN NYLON
Long Description	Cable Tie, Brown Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 277mm (10.9 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Ordering

EAN	5414363062783
UPC	786210844930
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Depth / Length	10.9 in 277 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 2.99 in 2 to 76 mm
Color	Brown
Effective Date	19680112
Lock Type	Stainless Steel Barb
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	30 lb 134 N
Thickness	0.04 in 1.0 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY26M-1

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

