



PRODUCT-DETAILS

TY234M-2

CABLE TIE 18LB 14IN RED NYLON



General Information

| | |
|-----------------------|---|
| Extended Product Type | TY234M-2 |
| Product ID | 7TAG009070R0092 |
| EAN | 5414363061564 |
| Catalog Description | CABLE TIE 18LB 14IN RED NYLON |
| Long Description | Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 357mm (14.0 Inches), Width of 2.3mm (0.09 Inches), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack |

Ordering

| | |
|-------------------------|--------------------|
| EAN | 5414363061564 |
| UPC | 786210845913 |
| Country of Origin | United States (US) |
| Customs Tariff Number | 3926909985 |
| Selling Unit of Measure | each |

Dimensions

| | |
|----------------------------|-------------------|
| Product Net Width | 0.1 in 2.54 mm |
| Product Net Depth / Length | 14 in 356 mm |

Container Information

| | |
|--------------------------------|-------------------|
| Package Level 1 Units | 1000 piece |
| Package Level 2 Units | 10000 piece |
| Package Level 2 Width | 12.4 in 315 mm |
| Package Level 2 Height | 3.3 in 84 mm |
| Package Level 2 Depth / Length | 15 in 381 mm |

Technical UL/CSA

| | |
|--------------------------------|-----|
| Flammability According to UL94 | V-2 |
|--------------------------------|-----|

Additional Information

| | |
|-------------------|--|
| Brand / Label | Ty-Rap |
| Bundle Diameter | 0.06 to 4.02 in 1.5 to 102 mm |
| Color | Red |
| Effective Date | 19710405 |
| Lock Type | Stainless Steel Barb |
| Material | Nylon/Polyamide 6.6 |
| Product Name | TY-RAP FASTENING |
| Product Type | High Performance |
| Special Functions | Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time. |
| Standards | UL E49405 |
| Tensile Strength | 18 lb 80 N |
| Thickness | 0.04 in 1 mm |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | TDS000570 |
| Declaration of Conformity - CE | 9AKK107492A9841 |
| Instructions and Manuals | TY234M-2 |

Classifications

| | |
|------------------------------------|---------------------------|
| ETIM 6 | EC000046 - Cable tie |
| ETIM 7 | EC000046 - Cable tie |
| ETIM 8 | EC000046 - Cable tie |
| UNSPSC | 39121703 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5034 >> Cable ties |

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

