

3.6 mm 5.4 in 137 mm

PRODUCT-DETAILS

Product Net Depth / Length

TY24M-2 CABLE TIE 40LB 5.5IN RED NYLON



General Information	
Extended Product Type	TY24M-2
Product ID	7TAG009160R0017
EAN	5414363062141
Catalog Description	CABLE TIE 40LB 5.5IN RED NYLON
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 137mm (5.4 Inches), Width of 3.6mm (0.14 Inches), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 178 Newtons (40 Pounds), Military Specified (MIL-SPEC MS3367-5-2), Bulk Pack

EAN	5414363062141
UPC	786210844763
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	<u>each</u>
Dimensions	
Product Net Width	0.14 in

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	12 ir
Packago Lovel 1 Donth /	305 mm 12 ir
Package Level 1 Depth / Length	305 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	11 ir
Package Level 2 Height	279 mm 10.9 ir
Package Level 2 Depth /	
Length	333 mm
Technical UL/CSA	
Flammability According to	V-2
<u>UL94</u>	
Additional Information	
Brand / Label	Ту-Rар
Bundle Diameter	0.08 to 1.38 in 2 to 35 mm
Color	Red
Effective Date	19671103
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb
Thickness	178 N 0.04 in
	1.0 mm
Certificates and Declarations (Docume	ent Number)
	TDS000566
Information Declaration of Conformity	9AKK107492A9841
Data Sheet, Technical Information Declaration of Conformity - CE Instructions and Manuals	9AKK107492A9841 TY24M-2
Information Declaration of Conformity CE Instructions and Manuals	
Information Declaration of Conformity - CE Instructions and Manuals Classifications	TY24M-2
Information Declaration of Conformity - CE Instructions and Manuals Classifications ETIM 6	TY24M-2 EC000046 - Cable tie
Information Declaration of Conformity - CE Instructions and Manuals Classifications ETIM 6 ETIM 7	TY24M-2 EC000046 - Cable tie EC000046 - Cable tie
Information Declaration of Conformity - CE	
Information Declaration of Conformity - CE Instructions and Manuals Classifications ETIM 6 ETIM 7 ETIM 8	EC000046 - Cable tie EC000046 - Cable tie EC000046 - Cable tie

TY24M-2 3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

