

PRODUCT-DETAILS

TY26M-2

CABLE TIE 40LB 11IN RED NYLON



General Information	
Extended Product Type	TY26M-2
Product ID	7TAG009160R0025
EAN	5414363062806
Catalog Description	CABLE TIE 40LB 11IN RED NYLON
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 277mm (10.9 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Ordering	
EAN	5414363062806
UPC	786210844947
Country of Origin	Hungary (HU)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.14 in
	3.6 mm
Product Net Depth /	10.9 in
Length	277 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	14 in 356 mm
Package Level 2 Height	9.7 in 246 mm
Package Level 2 Depth / Length	21 in 533 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 2.99 in 2 to 76 mm
Color	Red
Effective Date	19921209
Lock Type	Stainless Steel Barb
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	30 lb 134 N
Thickness	0.04 in 1.0 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY26M-2

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY26M-2 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

