



PRODUCT-DETAILS

TY277M

CABLE TIE 120LB 24IN NATURAL NYLON



General Information

Extended Product Type	TY277M
Product ID	7TAG009340R0003
EAN	5414363063193
Catalog Description	CABLE TIE 120LB 24IN NATURAL NYLON
Long Description	High Performance Cable Tie, Natural Color Nylon 6.6, Length of 617mm (24.3 Inches) for Bundle Diameter up to 177mm (6.97 Inches), Width of 6.9mm (0.27 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), Bulk Pack

Ordering

EAN	5414363063193
UPC	786210870809
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	24.35 in 618 mm
Package Level 1 Height	32.2 in 818 mm
Package Level 1 Depth / Length	5.8 in 147 mm
Package Level 2 Units	24500 piece

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 6.97 in Max 177 mm
Color	Natural
Effective Date	19900615
Lock Type	Stainless Steel Barb
Product Name	NYLON CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000487
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY277M
REACH Declaration	9AKK107992A8781
RoHS Information	9AKK107991A8366

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

