

PRODUCT-DETAILS

TY272M-7

CABLE TIE 120LB 9IN PURPLE NYLON



General Information

Extended Product Type	TY272M-7
Product ID	7TAG009370R0009
EAN	5414363063049
Catalog Description	CABLE TIE 120LB 9IN PURPLE NYLON
Long Description	Cable Tie, Purple Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 224mm (8.8 Inches), Width of 6.9mm (0.27 Inch), Thickness of 1.5mm (0.06 Inches), Tensile Strength Rating of 534 Newtons (120 Pounds), Bulk Pack

Ordering

EAN	5414363063049
UPC	786210817583
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.275 in 6.99 mm
Product Net Depth / Length	8.75 in 222.3 mm

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	9.5 in 241 mm
Package Level 1 Height	5 in 127 mm
Package Level 1 Depth / Length	15.3 in 389 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	3.6 in 91 mm
Package Level 2 Height	11.8 in 300 mm
Package Level 2 Depth / Length	8.8 in 224 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Color	Purple
Effective Date	19711104
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Standards	UL E49405
Tensile Strength	120 lb 540 N
Thickness	0.07 in 1.78 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000487
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY272M-7

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

