



PRODUCT-DETAILS

TY46MD

CABLE TIE 50LB 7IN NAT NYLON ID DBL



General Information

Extended Product Type	TY46MD
Product ID	7TAG009510R0025
EAN	5414363064923
Catalog Description	CABLE TIE 50LB 7IN NAT NYLON ID DBL
Long Description	Identification Cable Tie - Double Strap Configuration, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support,Length of 185mm (7.3 Inches), Width of 4.8mm (0.19 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 220 Newtons (49 Pounds), Marking Pad Size of 30.5mm (1.2Inches) x 28mm (1.1 Inches), Military Specified (MIL-SPEC MS3368-3-9), Bulk Pack

Ordering

EAN	5414363064923
UPC	786210825212
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.189 in 4.8 mm
Product Net Depth /	7.24 in

Length	184 mm
--------	--------

Container Information

Package Level 1 Units	500 piece
Package Level 2 Units	1000 piece
Package Level 2 Width	9.7 in 246 mm
Package Level 2 Height	5.7 in 145 mm
Package Level 2 Depth / Length	15.5 in 394 mm

Technical UL/CSA

Flammability According to UL94	V-2
-----------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	1 to 1.75 in 25.4 to 44.4 mm
Color	Natural
Effective Date	19680418
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Identification
Standards	UL E49405
Tensile Strength	49 lb 220 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000576
Instructions and Manuals	TY46MD

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5040 >> I.D. Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

