

PRODUCT-DETAILS

## **TY34MX**

## CABLE TIE 40LB 6IN BLK NYL MTG HOLE



General Information	
Extended Product Type	TY34MX
Product ID	7TAG009520R0050
EAN	5414363064244
Catalog Description	CABLE TIE 40LB 6IN BLK NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 152mm (6 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 177 Newtons (40 Pounds), #8 Screw for Mounting, Bulk Pack

5414363064244
786210830902
United States (US)
3926909985
each

Dimensions	
Product Net Width	0.146 in 3.71 mm
Product Net Depth / Length	5.94 in 150.98 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	11.9 in 302 mm
Package Level 2 Height	10.3 in 262 mm
Package Level 2 Depth / Length	19.9 in 505 mm

## Technical UL/CSA Flammability According V-2 to UL94

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.14 in 2 to 29 mm
Color	Black
Effective Date	19680112
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	40 lb 178 N
Thickness	0.04 in 1 mm

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	TDS000577	
Instructions and Manuals	TY34MX	
REACH Declaration	9AKK107992A3998	
RoHS Information	9AKK107991A8069	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

TY34MX 3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

