

PRODUCT-DETAILS

TY537MX CBL TIE 120LB 14IN BLK NYL MT HOL



General Information	
Extended Product Type	TY537MX
Product ID	7TAG009520R0071
EAN	5414363066248
Catalog Description	CBL TIE 120LB 14IN BLK NYL MT HOL
Long Description	Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 356mm (14 Inches), Width of 7.6mm (0.3 Inches), Thickness of 2mm (0.08 Inches), Tensile Strength Rating of 534 Newtons (120 pounds), 1/4-Inch Mounting Hole

Ordering	
EAN	5414363066248
UPC	786210805184
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.301 in 7.65 mm
Product Net Depth / Lenath	14 in 355.6 mm

TY537MX 2

Package Level 1 Units	50 piec
Package Level 2 Units	500 piec
Package Level 2 Width	8.7 i
5 1 1 10 11 11 11 11 11 11 11 11 11 11 11	221 mr
Package Level 2 Height	7.2 i 183 mr
Package Level 2 Depth / Length	16.35 i 415 mr
Technical UL/CSA	W
Flammability According to UL94	V-
Additional Information	
Brand / Label	Ty-Ra
Bundle Diameter	•
Dulidie Diametei	
	6 to 90 mi
Color	6 to 90 mi
Color Effective Date	6 to 90 mi Blac 1968011
Color Effective Date Lock Type	6 to 90 mi Blac 1968011 Stainless Steel Bar
Color Effective Date Lock Type Material	6 to 90 mi Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6.
Color Effective Date Lock Type Material Product Name	6 to 90 mi Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6. NYLON CABLE TIES AND ACCESSORIE
Color Effective Date Lock Type Material Product Name Product Type	0.236 to 3.54 i 6 to 90 mr Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6. NYLON CABLE TIES AND ACCESSORIES Integrated Mounting Hol 9AKK107991A806
Color Effective Date Lock Type Material Product Name Product Type RoHS Date	6 to 90 mi Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6. NYLON CABLE TIES AND ACCESSORIE Integrated Mounting Hol
Color Effective Date Lock Type Material Product Name Product Type RoHS Date Special Functions	6 to 90 mi Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6. NYLON CABLE TIES AND ACCESSORIE Integrated Mounting Hol 9AKK107991A806 Low profile head is designed to prevent snags on uneven surfaces and easie to pull through bulkheads. Non-magnetic stainless steel locking device insure- both maximum strength and the right tightness every time
Color Effective Date Lock Type Material Product Name Product Type RoHS Date Special Functions Tensile Strength	6 to 90 mi Blac 1968011 Stainless Steel Bar Nylon/Polyamide 6 NYLON CABLE TIES AND ACCESSORIE Integrated Mounting Ho 9AKK107991A806 Low profile head is designed to prevent snags on uneven surfaces and easie to pull through bulkheads. Non-magnetic stainless steel locking device insure both maximum strength and the right tightness every time 120 534 0.08
Color Effective Date Lock Type Material Product Name Product Type RoHS Date Special Functions Tensile Strength Thickness	6 to 90 m Blac 1968011 Stainless Steel Bai Nylon/Polyamide 6 NYLON CABLE TIES AND ACCESSORIE Integrated Mounting Ho 9AKK107991A806 Low profile head is designed to prevent snags on uneven surfaces and easie to pull through bulkheads. Non-magnetic stainless steel locking device insure both maximum strength and the right tightness every tim 120 534

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000577
Instructions and Manuals	TY537MX
REACH Declaration	9AKK107992A3998
RoHS Information	9AKK107991A8069

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

Categories

TY537MX 3

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

