



PRODUCT-DETAILS

TY24MFR

CABLE TIE 40LB 5.5IN WHI NYL FLMRTD



General Information

Extended Product Type	TY24MFR
Product ID	7TAG009570R0003
EAN	5414363062240
Catalog Description	CABLE TIE 40LB 5.5IN WHI NYL FLMRTD
Long Description	Cable Tie, Flame Retardant White Nylon 6.6, Temperature Range of -20 to 65 Degrees Celsius (-4 to 149 F) for Indoor Applications, Length of 140mm (5.5 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1.3mm (0.05 Inch), Maximum Bundle Diameter 35mm (1.38 Inches), Tensile Strength Rating of 134 Newtons (30 Pounds)

Ordering

EAN	5414363062240
UPC	786210824123
Country of Origin	Hungary (HU) United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	12 in 305 mm
Package Level 1 Depth / Length	12 in 305 mm

Package Level 2 Units	10000 piece
Package Level 2 Width	11 in 279 mm
Package Level 2 Height	11.5 in 292 mm
Package Level 2 Depth / Length	13.3 in 338 mm

Technical UL/CSA

Flammability According to UL94	V-0
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.38 in 2 to 35 mm
Color	White
Effective Date	19860224
Lock Type	Stainless Steel Barb
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Flame Retardant
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	30 lb 134 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000478
Instructions and Manuals	TY24MFR

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

