



PRODUCT-DETAILS

TY272MFR

CABLE TIE 120LB 9IN WHI NYL FLM RTD



General Information

Extended Product Type	TY272MFR
Product ID	7TAG009570R0005
EAN	5414363063070
Catalog Description	CABLE TIE 120LB 9IN WHI NYL FLM RTD
Long Description	Cable Tie, Flame Retardant White Nylon 6.6, Temperature Range of -20 to 65 Degrees Celsius (-4 to 149 F) for Indoor Applications, Length of 224mm (8.8 Inches), Width of 7.1mm (0.28 Inch), Thickness of 1.5mm (0.06 Inch), Maximum Bundle Diameter 51mm (2.01 Inches), Tensile Strength Rating of 530 Newtons (120 Pounds), Bulk Pack

Ordering

EAN	5414363063070
UPC	786210058566
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Container Information

Package Level 1 Units	500 piece
Package Level 1 Height	18 in 457 mm
Package Level 1 Depth / Length	14 in 356 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	13.12 in 333 mm

Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	20.75 in 527 mm

Technical UL/CSA

Flammability According to UL94	V-0
-----------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 2.01 in 3.0 to 51 mm
Color	White
Effective Date	19980923
Lock Type	Stainless Steel Barb
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Flame Retardant
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 530 N
Thickness	0.06 in 1.5mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000478
Instructions and Manuals	TY272MFR

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

