



## PRODUCT-DETAILS

# TY28MFR

## CABLE TIE 50LB 14IN WHI NYL FLM RTD



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | TY28MFR  |
| Product ID            | 7TAG009570R0007  |
| EAN                   | 5414363063636  |
| Catalog Description   | CABLE TIE 50LB 14IN WHI NYL FLM RTD  |
| Long Description      | Cable Tie, Flame Retardant White Nylon 6.6, Temperature Range of -20 to 65 Degrees Celsius (-4 to 149 F) for Indoor Applications, Length of 361mm (14.2 Inches), Width of 4.6mm (0.18 Inch), Thickness of 1.3mm (0.05 Inch), Maximum Bundle Diameter 102mm (4.02 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds) |

### Ordering

|                         |               |
|-------------------------|---------------|
| EAN                     | 5414363063636 |
| UPC                     | 786210899459  |
| Country of Origin       | Hungary (HU)  |
| Customs Tariff Number   | 3926909985    |
| Selling Unit of Measure | each          |

### Dimensions

|                               |                      |
|-------------------------------|----------------------|
| Product Net Width             | 0.18 in<br>4.57 mm   |
| Product Net Depth /<br>Length | 14.2 in<br>360.68 mm |

### Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 500 piece         |
| Package Level 1 Width          | 5.6 in<br>142 mm  |
| Package Level 1 Height         | 9.89 in<br>251 mm |
| Package Level 1 Depth / Length | 15.3 in<br>389 mm |
| Package Level 2 Units          | 2500 piece        |
| Package Level 2 Width          | 14 in<br>356 mm   |
| Package Level 2 Height         | 4 in<br>102 mm    |
| Package Level 2 Depth / Length | 20 in<br>508 mm   |

## Technical UL/CSA

|                                 |     |
|---------------------------------|-----|
| Flammability According to UL 94 | V-0 |
|---------------------------------|-----|

## Additional Information

|                   |  |
|-------------------|--|
| Brand / Label     | Ty-Rap   |
| Bundle Diameter   | 0.12 to 4.02 in<br>3.0 to 102 mm   |
| Color             | White  |
| Effective Date    | 19780502   |
| Lock Type         | Stainless Steel Barb   |
| Material          | Nylon/Polyamide 6.6  |
| Product Name      | NYLON CABLE TIES AND ACCESSORIES   |
| Product Type      | Flame Retardant  |
| Special Functions | Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time. |
| Standards         | UL E49405  |
| Tensile Strength  | 40 lb<br>178 N   |
| Thickness         | 0.05 in<br>1.3 mm  |

## Certificates and Declarations (Document Number)

|                                   |           |
|-----------------------------------|-----------|
| Data Sheet, Technical Information | TDS000478 |
| Instructions and Manuals          | TY28MFR   |

## Classifications

|                                    |                           |
|------------------------------------|---------------------------|
| ETIM 6                             | EC000046 - Cable tie      |
| ETIM 7                             | EC000046 - Cable tie      |
| ETIM 8                             | EC000046 - Cable tie      |
| UNSPSC                             | 39121703                  |
| WEEE Category                      | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5034 >> Cable ties        |

---

Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

