

PRODUCT-DETAILS

TY175-50X

CBL TIE 50LB 7IN UV BLACK NYL



General Information	
Extended Product Type	TY175-50X
Product ID	7TAG054360R0178
EAN	5414363060956
Catalog Description	CBL TIE 50LB 7IN UV BLACK NYL
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 188mm, Width of 4.8mm, Thickness of 1.24mm, Tensile Strength Rating of 220 Newtons, 1000 Pack"

Ordering	
E-Number (Finland)	1370019
EAN	5414363060956
UPC	786210898575
Country of Origin	Hungary (HU)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.184 in 4.674 mm
Product Net Depth / Length	7.34 in 186.43 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	12.7 in 323 mm
Package Level 2 Height	13.2 in 335 mm
Package Level 2 Depth / Length	18.3 in 465 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Fast
Bundle Diameter	44 mm
	1.732 in
Color	Black
Effective Date	19921030
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6 Weather Resistant
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	222 N 50 lb
Thickness	1.2 mm 0.047 in

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000751
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY175-50X
REACH Declaration	9AKK108466A3876
RoHS Information	9AKK108466A3872

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703

TY175-50X 3

WEEE CategoryProduct Not in WEEE ScopeIDEA Granular Category5034 >> Cable tiesCode (IGCC)5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

