

## PRODUCT-DETAILS

# TY400-40X

## CABLE TIE 40LB 15IN UV BLACK NYLON



### General Information

Extended Product Type	TY400-40X
Product ID	7TAG054360R0313
EAN	5414363064589
Catalog Description	CABLE TIE 40LB 15IN UV BLACK NYLON
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 370mm, Width of 3.6mm, Thickness of 1.3mm , Tensile Strength Rating of 180 Newtons, 1000 Pack"

### Ordering

EAN	5414363064589
UPC	786210713199
Country of Origin	Hungary (HU) United States (US)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

### Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Depth / Length	14.57 in 370 mm

## Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	22 in 559 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.37 in 238 mm
Package Level 2 Height	19.75 in 502 mm
Package Level 2 Depth / Length	11.5 in 292 mm

## Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

## Additional Information

Brand / Label	Ty-Fast
Bundle Diameter	102 mm 4.016 in
Color	Black
Effective Date	19970528
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	180 N 40 lb
Thickness	1.2 mm 0.047 in

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000751
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-40X
REACH Declaration	9AKK108466A3876
RoHS Information	9AKK108466A3872

## Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

