


PRODUCT-DETAILS

L-7-50ID-9-M

CBL TIE 50LB 8IN NAT NYLON ID MKPAD



General Information

Extended Product Type	L-7-50ID-9-M
Product ID	7TAG054640R0004
EAN	5414363154198
Catalog Description	CBL TIE 50LB 8IN NAT NYLON ID MKPAD
Long Description	Identification Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 194.46mm (7.656 Inches), Width of 4.52mm (0.178 Inches), Thickness of 1.34mm (0.053 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Marking Pad Size of 27.56mm (1.085 Inches) x 13.26mm (0.522 Inches), Bulk Pack

Ordering

EAN	5414363154198
UPC	728494916507
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.178 in 4.52 mm
Product Net Depth / Length	7.875 in 200.02 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	12 in 305 mm
Package Level 1 Height	2.75 in 70 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	12.5 in 318 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	1.75 in 44.45 mm
Color	Natural
Effective Date	19960215
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	Identification Tag
Standards	UL E49405
Tensile Strength	50 lb 222 N

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-7-50ID-9-M
Instructions and Manuals	L-7-50ID-9-M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

