



PRODUCT-DETAILS

L-5-30MH-0-C

CABLE TIE 30LB 5IN BLK NYL MTG HOLE



General Information

Extended Product Type	L-5-30MH-0-C
Product ID	7TAG054680R0014
EAN	5414363028055
Catalog Description	CABLE TIE 30LB 5IN BLK NYL MTG HOLE
Long Description	Intermediate, Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 137.76mm (5.42 Inches), Width of 3.63mm (0.143 Inches), Thickness of 1.21mm (0.048 Inches), Tensile Strength Rating of 133 Newtons (30 Pounds), #8 Screw for Mounting

Ordering

EAN	5414363028055
UPC	728494915005
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.143 in 3.63 mm
Product Net Depth / Length	5.42 in 137.76 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	9 in 229 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	13.5 in 343 mm
Package Level 2 Height	13 in 330 mm
Package Level 2 Depth / Length	21 in 533 mm

Technical UL/CSA

Flammability According to UL 94	V-2
---------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	Max 1.25 in Max 31.75 mm
Color	Black
Effective Date	19960215
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6 Weather Resistant
Product Name	NYLON CABLE TIE
Product Type	Intergrated Mounting Hole
Standards	UL E49405
Tensile Strength	30 lb 133 N
Thickness	0.05 in 1.31 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000443
Instructions and Manuals	L-5-30MH-0-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

