

PRODUCT-DETAILS

L-5-50PM-9-D

CABLE TIE 50LB 5IN NAT NYL PUSH MNT



General Information

Extended Product Type	L-5-50PM-9-D
Product ID	7TAG054710R0001
EAN	5414363028222
Catalog Description	CABLE TIE 50LB 5IN NAT NYL PUSH MNT
Long Description	Push Mount Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 122.52mm (4.824 Inches), Width of 4.824mm (0.189 Inches), Thickness of 1.19mm (0.047 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Mounting Hole Size of 6.35mm (0.25 Inches)

Ordering

EAN	5414363028222
UPC	728494124438
Country of Origin	Thailand (TH)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.187 in 4.74 mm
Product Net Depth / Length	5.8 in 147.32 mm

Container Information

Package Level 1 Units	500 piece
Package Level 1 Width	12 in 305 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	15 in 381 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	12.5 in 318 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	Max 1 in Max 25.4 mm
Color	Natural
Effective Date	19960917
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	PLASTIC MOUNT FOR CABLE TIE
Product Type	Push Mount
Tensile Strength	50 lb 220 N

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-5-50PM-9-D
Instructions and Manuals	L-5-50PM-9-D

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5035 >> Push Mount Cable Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

