

PRODUCT-DETAILS

L-7-50PM-0-C

CABLE TIE 50LB 8IN BLK PSH MT .25IN



General Information

Extended Product Type	L-7-50PM-0-C
Product ID	7TAG054710R0004
EAN	5414363028901
Catalog Description	CABLE TIE 50LB 8IN BLK PSH MT .25IN
Long Description	Push Mount Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 200mm (7.87 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds)

Ordering

EAN	5414363028901
UPC	728494124544
Country of Origin	Thailand (TH)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.19 in 4.8 mm
Product Net Depth / Length	7.87 in 200 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	15 in 381 mm
Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	12 in 305 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth / Length	17 in 432 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	Max 1.77 in Max 45 mm
Color	Black
Effective Date	19960917
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	Push Mount
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000445
Instructions and Manuals	L-7-50PM-0-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5035 >> Push Mount Cable Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

