

PRODUCT-DETAILS

## TY5242MXR-RW

## TY242MX FOR RAILWAY SP

General Information	
Extended Product Type	TY5242MXR-RW
Product ID	7TCG009130R0014
EAN	5415022243550
Catalog Description	TY242MX FOR RAILWAY SP
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 208mm (8.19 Inches), Width of 3.6mm (0.142 Inch), Thickness of 1.04mm (0.041 Inch), Tensile Strength Rating of 180 Newtons (40 Pounds)

Ordering	
EAN	5415022243550
UPC	786209884121
Country of Origin	Hungary (HU)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.142 in
	3.6 mm
Product Net Depth /	8.19 in
Length	208 mm

Container Information	
Package Level 1 Units	100 piece
Package Level 1 Width	5.11 in 130 mm
Package Level 1 Height	0.59 in 15 mm
Package Level 1 Depth / Length	12.51 in 318 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.82 in 249 mm
Package Level 2 Height	9.03 in 229 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

<b>Additional Information</b>	
Brand / Label	Ty-Rap
Color	Black
Effective Date	20140612
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	40 lb 180 N
Thickness	0.041 in 1.04 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TY5242MXR-RW
Instructions and Manuals	TY5242MXR-RW

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY5242MXR-RW 3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$