

PRODUCT-DETAILS

TYC272MX

CABLE TIE 85LB 8IN UV BLK NYLON 12

General Information	
Extended Product Type	TYC272MX
Product ID	7TCG009580R0002
EAN	5414363067184
Catalog Description	CABLE TIE 85LB 8IN UV BLK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 222mm (8.8 Inches), Width of 6.9mm (0.27 Inch), Thickness of 1.50mm (0.06 Inch), Tensile Strength Rating of 380 Newtons (85 Pounds), Bulk Pack

Ordering	
EAN	5414363067184
UPC	786210850108
Country of Origin	Hungary (HU) United States (US)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.265 in 6.73 mm
Product Net Depth / Length	8.62 in 218.95 mm

Container Information	
Package Level 1 Units	500 piece
Package Level 2 Units	5000 piece
Package Level 2 Width	13.8 in
	351 mm
Package Level 2 Height	10.25 in
	260 mm
Package Level 2 Depth /	19.7 in
Length	500 mm

Technical UL/CSA

Flammability According	V-2
to III 94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 2 in 4.8 to 51 mm
Color	Black
Effective Date	19830222
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Product Name	TYRAP BOX
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	85 lb 380 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000575
Instructions and Manuals	TYC272MX

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TYC272MX 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$