

PRODUCT-DETAILS

## TYC27MX

## CABLE TIE 85LB 13IN UV BLK NYLON 12

General Information	
Extended Product Type	TYC27MX
Product ID	7TCG009580R0003
EAN	5414363067191
Catalog Description	CABLE TIE 85LB 13IN UV BLK NYLON 12
Long Description	Cable Tie, Black Polyamide (Nylon 12) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 343mm (13.5 Inches), Width of 7.4mm (0.29 Inches), Thickness of 1.6mm (0.05 Inches), Tensile Strength Rating of 380 Newtons (85 Pounds), Bulk Pack

Ordering	
EAN	5414363067191
UPC	786210848013
Country of Origin	Hungary (HU) United States (US)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.295 in 7.49 mm
Product Net Depth / Length	13.37 in 339.6 mm

Container Information	
Package Level 1 Units	500 piece
Package Level 1 Width	14 in 356 mm
Package Level 1 Depth / Length	20 in 508 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	9.55 in 243 mm
Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	15.5 in 394 mm

## Technical UL/CSA Flammability According V-2 to UL94

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 4 in 4.8 to 102 mm
Color	Black
Effective Date	19820930
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 12
Product Name	CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	90 lb 400 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations (Document Number)			
Data Sheet, Technical Information	TDS000575		
Instructions and Manuals	TYC27MX		

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TYC27MX 3

_		-				•		
•	•	•	^	$\sim$	$\sim$	ri	^	c
•	a	L	C	u	u		e	3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$