



PRODUCT-DETAILS

TY400-50-2

TY-FAST RED TY400-50



General Information

Extended Product Type	TY400-50-2
Product ID	7TCG054360R0319
EAN	5414363064633
Catalog Description	TY-FAST RED TY400-50
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 365.76mm (14.4 Inches), Width of 4.674mm (0.184 Inches), Thickness of 1.24mm (0.049 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Bulk Pack

Ordering

EAN	5414363064633
UPC	786210570648
Replacement Product ID (NEW)	7TAG009270R0021
Country of Origin	Hungary (HU)
Customs Tariff Number	3926909990
Selling Unit of Measure	each

Dimensions

Product Net Width	0.184 in 4.674 mm
Product Net Depth /	14.4 in

Length	365.76 mm
--------	-----------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	22 in 559 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Red
Effective Date	19960620
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Tensile Strength	50 lb 222 N
Thickness	0.049 in 1.24 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-50-2
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-50-2

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

