

Fastener FI-8-PRET-ZM

Ref. C28189

Ref. arch 42347

- Lengthwise suspension on a rod
- Minimum dimensions

APPLICATION


- for suspending LED lighting fixtures

MOUNTING

- to the lighting fixture, using a small lock
- to the rod with a pressure screw



TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Width	8 mm
Height	16.6 mm
Lifting capacity	10 kg

Color	Ref
■ silver	C28189N00 42347
■ black	C28189L07 42347L9005
□ white	C28189L10 42347L9010

Fastener FI-8-PRET-ZM

Ref. C28189


Ref. arch 42347

KLUŚ Inspiring
Solutions

SAMPLE PROJECTS



RELATED PROFILES > ARCHITECTURAL



3035-O
A08441
Ref. arch B8441




GIZA
A05556
Ref. arch B5556




GIZA-DUO-LL
A02162
Ref. arch C2162



GIZA-LL
A00758
Ref. arch C0758



JAZ
A08547
Ref. arch B8547



LIPOD
A05554
Ref. arch B5554

RELATED PROFILES > MINIMALISTIC



PIKO-ZM
A01168
Ref. arch C1168

RELATED PROFILES > UNIVERSAL

Fastener FI-8-PRET-ZM

Ref. C28189

Ref. arch 42347

KLUŚ Inspiring
Solutions



OLEK

A08505

Ref. arch B8505



PDS-ZM-PLUS

A02056

Ref. arch C2056



PDS-ZMG

A01418

Ref. arch C1418