

<b>EAN:</b>	4013288134455	<b>Size:</b>	243x37x37 mm
<b>Part number:</b>	05018302001	<b>Weight:</b>	134 g
<b>Article number:</b>	932 AS	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Chiseldriver for fastening, chiselling and loosening
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Hexagonal blade extending through the handle, impact cap with integrated square and bolster
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for enhanced service life and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The square take-up in the impact cap enables higher torque transfer when screwdriving with the T-handle, Zyklus ratchet or Mini ratchet. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



### Web link

[https://products.wera.de/en/screwdrivers\\_kraftform\\_plus\\_series\\_900\\_932\\_as.html](https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_as.html)

Wera - 932 AS

05018302001 - 4013288134455

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal


Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

#### Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

#### Impact cap with integrated square socket



Even higher torque can be transferred by connecting the square drive version to a T-handle or Zyklop ratchet.

#### Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle – thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

#### Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

#### Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

#### Prevents hand injuries











The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

#### Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

#### Further versions in this product family:

								
	mm	mm	mm	mm	mm	mm	inch	inch
05018300001	0.8	4.5	5	8	100	98	0.178	4 3/64
05018301001	1.0	5.5	6	10	113	105	7/32	4 1/16
<b>05018302001</b>	<b>1.2</b>	<b>7.0</b>	<b>6</b>	<b>10</b>	<b>138</b>	<b>105</b>	<b>9/32</b>	<b>5 7/16</b>

#### Web link

[https://products.wera.de/en/screwdrivers\\_kraftform\\_plus\\_series\\_900\\_932\\_as.html](https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_as.html)

Wera - 932 AS

05018302001 - 4013288134455

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)