

# Home - Fischerelektronik - LA 30

---

 [fischerelektronik.de/web\\_fischer/en\\_GB/VA/LA3010012/datasheet.xhtml](http://fischerelektronik.de/web_fischer/en_GB/VA/LA3010012/datasheet.xhtml)

## Features

---

width: 190 mm

---

height: 65 mm

---

length: 100 mm

---

thermal resistance: 0.034 - 0.074 K/W

---

surface: raw degreased aluminium (by the metre raw aluminium)


---

operating voltage of the fan motor:

- 12 V DC
- 24 V DC
- 48 V DC

## Technical Drawing

---



## Fan

---

type: ebmpapst 612 JH

---

dimensions: 60x60x32 mm

---

tension: 12 V DC

---

power inout: 7.7 W

---

max. air volume: 70 m<sup>3</sup>/h

---

temperature range: -20°C... +70°C

---

---

---

speed:	11,700 min <sup>-1</sup>
--------	--------------------------

---

noise level:	53 dB(A)
--------------	----------

---

weight:	100 g
---------	-------

---

failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 57,500 h (40°C)
----------------------------------	-----------------------------------

---

type:	ebmpapst 614 J/2HHP
-------	---------------------

---

dimensions:	60x60x32 mm
-------------	-------------

---

tension:	24 V DC
----------	---------

---

power inout:	14.6 W
--------------	--------

---

max. air volume:	82 m <sup>3</sup> /h
------------------	----------------------

---

temperature range:	-20°C... 75°C
--------------------	---------------

---

speed:	15,000 min <sup>-1</sup>
--------	--------------------------

---

noise level:	62 dB(A)
--------------	----------

---

weight:	100 g
---------	-------

---

failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 65,000 h (40°C)
----------------------------------	-----------------------------------

---

type:	ebmpapst 618 J/2HHP
-------	---------------------

---

dimensions:	60x60x32 mm
-------------	-------------

---

tension:	48 V DC
----------	---------

---

power inout:	14.6 W
--------------	--------

---

max. air volume:	82 m <sup>3</sup> /h
------------------	----------------------

---

---

---

temperature range: -20°C... 75°C

---

speed: 15,000 min<sup>-1</sup>

---

noise level: 62 dB(A)

---

weight: 100 g

---

failure rate (L<sub>10</sub>): L<sub>10</sub> > 65,000 h (40°C)

**Fischer Elektronik GmbH & Co. KG**  
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28  
58511 Lüdenscheid

Telefon +49 2351 435-0  
Telefax +49 2351 45754

info@fischerelektronik.de  
www.fischerelektronik.de