

# Home - Fischerelektronik - LA 30

[fischerelektronik.de/web\\_fischer/en\\_GB/VA/LA3030012/datasheet.xhtml](http://fischerelektronik.de/web_fischer/en_GB/VA/LA3030012/datasheet.xhtml)

## Features

width: 190 mm

height: 65 mm

length: 300 mm


thermal resistance: 0.034 - 0.074 K/W

surface: raw degreased aluminium (by the metre raw aluminium)

operating voltage of the fan motor:

- 12 V DC
- 24 V DC
- 48 V DC

## Technical Drawing



## Fan

type: ebmpapst 612 JH

dimensions: 60x60x32 mm

tension:	12 V DC
power inout:	7.7 W
max. air volume:	70 m <sup>3</sup> /h
temperature range:	-20°C... +70°C
speed:	11,700 min <sup>-1</sup>
noise level:	53 dB(A)
weight:	100 g
failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 57,500 h (40°C)
type:	ebmpapst 614 J/2HHP
dimensions:	60x60x32 mm
tension:	24 V DC
power inout:	14.6 W
max. air volume:	82 m <sup>3</sup> /h
temperature range:	-20°C... 75°C
speed:	15,000 min <sup>-1</sup>
noise level:	62 dB(A)
weight:	100 g
failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 65,000 h (40°C)
type:	ebmpapst 618 J/2HHP

---

dimensions:	60x60x32 mm
-------------	-------------

---

tension:	48 V DC
----------	---------

---

power inout:	14.6 W
--------------	--------

---

max. air volume:	82 m <sup>3</sup> /h
------------------	----------------------

---

temperature range:	-20°C... 75°C
--------------------	---------------

---

speed:	15,000 min <sup>-1</sup>
--------	--------------------------

---

noise level:	62 dB(A)
--------------	----------

---

weight:	100 g
---------	-------

---

failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 65,000 h (40°C)
----------------------------------	-----------------------------------

**Fischer Elektronik GmbH & Co. KG**  
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28  
58511 Lüdenscheid

Telefon +49 2351 435-0  
Telefax +49 2351 45754

info@fischerelektronik.de  
www.fischerelektronik.de