

Home - Fischerelektronik - LA 34

fischerelektronik.de/web_fischer/en_GB/VA/LA3430012/datasheet.xhtml

Features

width: 80 mm

height: 83 mm



length: 300 mm

thermal resistance: 0.2 - 0.117 K/W

surface:

- raw degreased aluminium (by the metre raw aluminium)
- mounting area(s) milled flat

Technical Drawing



Fan

type: ebmpapst 8212 JH4

dimensions: 80x80x38 mm

tension: 12 V DC

power inout: 39 W

max. air volume:	222 m ³ /h
------------------	-----------------------

temperature range:	-20°C... +70°C
--------------------	----------------

speed:	14,000 min ⁻¹
--------	--------------------------

noise level:	71 dB(A)
--------------	----------

weight:	200 g
---------	-------

failure rate (L ₁₀):	L ₁₀ > 50,000 h (40°C)
----------------------------------	-----------------------------------

type:	ebmpapst 8218 JH4
-------	-------------------

dimensions:	80x80x38 mm
-------------	-------------

tension:	48 V DC
----------	---------

power inout:	36 W
--------------	------

max. air volume:	222 m ³ /h
------------------	-----------------------

temperature range:	-20°C... +70°C
--------------------	----------------

speed:	14,000 min ⁻¹
--------	--------------------------

noise level:	71 dB(A)
--------------	----------

weight:	200 g
---------	-------

failure rate (L ₁₀):	L ₁₀ > 50,000 h (40°C)
----------------------------------	-----------------------------------

type:	ebmpapst 8214 JH4
-------	-------------------

dimensions:	80x80x38 mm
-------------	-------------

tension:	24 V DC
----------	---------

power inout: 38 W

max. air volume: 222 m³/h

temperature range: -20°C... +70°C

speed: 14,000 min⁻¹

noise level: 71 dB(A)

weight: 200 g

failure rate (L₁₀): L₁₀ > 50,000 h (40°C)

Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de