

# Home - Fischerelektronik - LA V 14

---

[fischerelektronik.de/web\\_fischer/en\\_GB/VA/LAV14300230/datasheet.xhtml](http://fischerelektronik.de/web_fischer/en_GB/VA/LAV14300230/datasheet.xhtml)



Cooling aggregates>Cooling aggregates with axial fan

120 x 120 mm, with axial fan and air-flow chamber

## Features

---

width: 120 mm

height: 120 mm

length: 300 mm

thermal resistance: 0.14 - 0.05 K/W

surface:


- raw degreased aluminium (by the metre raw aluminium)
- mounting area(s) milled flat

operating voltage of the fan motor:

- 24 V DC
- 230 V AC

## Technical Drawing

---



## Fan

type: ebmpapst 4184NXH

dimensions: 119x119x38 mm

tension: 24 V DC

power inout: 11 W

max. air volume: 237 m<sup>3</sup>/h

temperature range: -30°C ... +70°C

speed: 4,400 min<sup>-1</sup>

noise level: 57 dB(A)

weight: 390 g

failure rate (L<sub>10</sub>): L<sub>10</sub> > 70,000 h (40°C)

type: ebmpapst 4656N

dimensions: 119x119x38 mm

---

tension:	230 V AC
----------	----------

---

power inout:	19 W
--------------	------

---

max. air volume:	160 m <sup>3</sup> /h
------------------	-----------------------

---

temperature range:	-40°C... +85°C
--------------------	----------------

---

speed:	2,650 min <sup>-1</sup>
--------	-------------------------

---

noise level:	47 dB(A)
--------------	----------

---

weight:	550 g
---------	-------

---

failure rate (L <sub>10</sub> ):	L <sub>10</sub> > 37,500 h (40°C)
----------------------------------	-----------------------------------

**Fischer Elektronik GmbH & Co. KG**  
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28  
58511 Lüdenscheid

Telefon +49 2351 435-0  
Telefax +49 2351 45754

info@fischerelektronik.de  
www.fischerelektronik.de