


Home - Fischerelektronik - LA V 24

fischerelektronik.de/web_fischer/en_GB/VA/LAV2440024/datasheet.xhtml



Cooling aggregates>Cooling aggregates with axial fan

155 x 158 mm, with axial fan and air-flow chamber

Features

width: 155 mm

height: 158 mm

length: 400 mm

thermal resistance: 0.078 - 0.025 K/W


surface:

- raw degreased aluminium (by the metre raw aluminium)
- mounting area(s) milled flat

operating voltage of the fan motor:

- 24 V DC
- 230 V AC

Technical Drawing



Fan

type: ebmpapst, ball bearing, with grid

dimensions: $\varnothing 150 \times 38$ mm

tension: 24 V DC

power inout: 19 W

max. air volume: 420 m³/h

temperature range: -25°C... +72°C

speed: 3,350 min⁻¹

noise level: 59 dB(A)

weight: 620 g

failure rate (L₁₀): L₁₀ > 75,000 h (40°C)

type: ebmpapst, ball bearing, with grid

dimensions: $\varnothing 150 \times 55$ mm

tension: 230 V AC

power inout: 47 W

max. air volume: 380 m³/h

temperature range: -30°C... +60°C

speed: 2,700 min⁻¹

noise level: 60 dB(A)

weight: 1100 g

failure rate (L₁₀): L₁₀ > 40,000 h (40°C)

Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de