

# Home - Fischerelektronik - LA V 8

[fischerelektronik.de/web\\_fischer/en\\_GB/VA/LAV825024/datasheet.xhtml](http://fischerelektronik.de/web_fischer/en_GB/VA/LAV825024/datasheet.xhtml)



Cooling aggregates > Cooling aggregates with axial fan

188 x 74 mm, with axial fan and air-flow chamber

## Features

width: 188 mm

height: 74 mm

length: 250 mm

thermal resistance: 0.068 - 0.03 K/W


surface:

- raw degreased aluminium (by the metre raw aluminium)
- mounting area(s) milled flat

operating voltage of the fan motor:

- 12 V DC
- 24 V DC

## Technical Drawing



## Fan

---

---

type: ebmpapst 612 NHH-118

---

dimensions: 60x60x25 mm

---

tension: 12 V DC

---

power inout: 2.9 W

---

max. air volume: 56 m<sup>3</sup>/h

---

temperature range: -20°C... +70°C

---

speed: 6,800 min<sup>-1</sup>

---

noise level: 41 dB(A)

---

weight: 66 g

---

failure rate (L<sub>10</sub>): L<sub>10</sub> > 60,000 h (40°C)

---

type: ebmpapst 614 NHH-119

---

dimensions: 60x60x25 mm

---

tension: 24 V DC

---

power inout: 2.9 W

---

max. air volume: 56 m<sup>3</sup>/h

---

temperature range: -20°C... +70°C

---

speed: 6,850 min<sup>-1</sup>

---

---

noise level: 41 dB(A)

---

weight: 66 g

---

failure rate (L<sub>10</sub>): L<sub>10</sub> > 60,000 h (40°C)

**Fischer Elektronik GmbH & Co. KG**  
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28  
58511 Lüdenscheid

Telefon +49 2351 435-0  
Telefax +49 2351 45754

info@fischerelektronik.de  
www.fischerelektronik.de