# Product data sheet Characteristics

## NSYDLM66

Modular chassis DLM type for SPACIAL WM enclosure, 66 modules, H700xW500mm.





#### Main

Range	Spacial	
Accessory / separate part category	Mounting accessory	
Device application	Multi-purpose Modular distribution application	
Product or component type	Chassis	
Device short name	DLM	
Enclosure nominal dimensions	-	
Mounting location	Front of enclosure Step slide	
Range compatibility	Spacial (Spacial S3D) Spacial (Spacial S3X) Spacial (Spacial CRN)	
Device composition	1 chassis structure 2 finish cover 1 neutral/earth strip 2 x 16 mm² 5 x 6 mm² 3 front panels with 35 mm DIN rail 1 plain front panel with mounting plate	
Quantity per set	Set of 1	

#### Complementary

Material	Steel
Colour	Front panel: grey (RAL 7035)
Surface finish	Polyester powder
Fixing mode	By fixing element - on front and back with supports location
Adjustment	In height from 40 to 85 mm for DIN rail
Number of horizontal rows	3
Total number of 18 mm modules	66
Type of front plate	Plain and cut-out plates
Number of cut-out	3 cut-outs
Height	653 Mm
Width	455 Mm
Depth	101.5 Mm

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.500 Cm
Package 1 Width	47.000 Cm
Package 1 Length	68.500 Cm
Package 1 Weight	6.438 Kg
Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	90.000 Cm
Package 2 Width	80.000 Cm
Package 2 Length	120.000 Cm
Package 2 Weight	63.504 Kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile

### Contractual warranty

Warranty	18 months
----------	-----------

Product Life Status : Commercialised