

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 24/10/2024 Revision date: 30/08/2024 Supersedes version of: 14/03/2023 Version: 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : KONTAKT PCC

UFI : TG2X-J8G9-Y00H-RC8T

Product code : BDS002425AE
Type of product : Detergent
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

SupplierOnly ReprCRC Industries Europe B.V.CRC IndusTouwslagerstraat 1Wylds Roa

9240 Zele Castlefield I

Belgium TA6 4DD Bridgwater Somerset

T +32(0)52/45.60.11, F +32(0)52/45.00.34 United Kingdom

<u>hse@crcind.com</u>, www.crcind.com

T +44 1278 727200, F +44 1278 425644

<u>hse.uk@crcind.com</u>, www.crcind.com

1.4. Emergency telephone number

Emergency number : +32(0)52/45.60.11

Office hours: 9-17h CET

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, H336

Narcosis

Aspiration hazard, Category 1 H304 Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Danger

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : propan-2-ol; isopropyl alcohol; isopropanol; Hydrocarbons, C6-C7, n-alkanes, isoalkanes,

cyclics, <5% n-hexane; 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene

glycol monoethyl ether

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation. H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smokina.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing vapours/spray.
P280 - Wear protective gloves/eye protection.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P501 - Dispose of contents/container to a hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB) | CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25 | 25 – 50 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | EC-No.: 921-024-6 REACH-no: 01-2119475514- 35 | 10 – 25 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB) | CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- | 10 – 25 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 |
| Carbon dioxide (CO2) (Propellant gas (Aerosol)) substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 124-38-9 | 5 – 10 | Press. Gas (Comp.), H280 |
| Methylal substance with national workplace exposure limit(s) (GB) | CAS-No.: 109-87-5 EC-No.: 203-714-2 REACH-no: 01-2119664781- 31 | 5 – 10 | Flam. Liq. 2, H225 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|--------|--|
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether | CAS-No.: 1569-02-4 EC-No.: 216-374-5 EC Index-No.: 603-177-00-8 REACH-no: 01-2119462792- 32 | 5 – 10 | Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336 |
| methanol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- | <1 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370 |

| Specific concentration limits: | | |
|--------------------------------|---|--|
| Name | Product identifier | Specific concentration limits (%) |
| ethanol; ethyl alcohol | CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- | (50 ≤ C < 100) Eye Irrit. 2; H319 |
| methanol | CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- | (3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C ≤ 100) STOT SE 1; H370 |

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If signs/symptoms develop,

get medical attention.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention. Seek medical attention if irritation develops.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Seek medical

attention if irritation develops.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately. Rinse mouth. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk. Use standard

firefighting procedures and consider the hazards of other involved materials.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Wear appropriate protective equipment and clothing during clean-up.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. For large spills, confine the spill in a dike and charge it

with wet sand or earth for subsequent safe disposal. Following product recovery, flush area with water. Take up small spills with dry chemical absorbent. Clean surface thoroughly to

remove residual contamination.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For disposal of contaminated materials refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid prolonged exposure. Handle in accordance with good industrial

hygiene and safety procedures.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

30/08/2024 (Revision date) GB - en 4/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| Carbon dioxide (CO2) (124-38-9) | | |
|--|---------------------------------------|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Carbon dioxide | |
| IOEL TWA | 9000 mg/m³ | |
| | 5000 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | |
| United Kingdom - Occupational Exposure | Limits | |
| Local name | Carbon dioxide | |
| WEL TWA (OEL TWA) | 9150 mg/m³ | |
| | 5000 ppm | |
| WEL STEL (OEL STEL) | 27400 mg/m³ | |
| | 15000 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| propan-2-ol; isopropyl alcohol; isopro | opanol (67-63-0) | |
| United Kingdom - Occupational Exposure | Limits | |
| Local name | Propan-2-ol | |
| WEL TWA (OEL TWA) | 999 mg/m³ | |
| | 400 ppm | |
| WEL STEL (OEL STEL) | 1250 mg/m³ | |
| | 500 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| Methylal (109-87-5) | | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Dimethoxymethane | |
| WEL TWA (OEL TWA) | 3160 mg/m³ | |
| | 1000 ppm | |
| WEL STEL (OEL STEL) | 3950 mg/m³ | |
| | 1250 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| methanol (67-56-1) | | |
|--|---|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Methanol | |
| IOEL TWA | 260 mg/m³ | |
| | 200 ppm | |
| Remark | Skin | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Methanol | |
| WEL TWA (OEL TWA) | 266 mg/m³ | |
| | 200 ppm | |
| WEL STEL (OEL STEL) | 333 mg/m³ | |
| | 250 ppm | |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| ethanol; ethyl alcohol (64-17-5) | | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Ethanol | |
| WEL TWA (OEL TWA) | 1920 mg/m³ | |
| | 1000 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| | | |

DNEL and PNEC

| SILE UND FILE | | |
|---|--------------------------|--|
| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) | | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 888 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 500 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 26 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 89 mg/m³ | |
| Long-term - systemic effects, dermal | 319 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 140.9 mg/l | |
| PNEC aqua (marine water) | 140.9 mg/l | |
| PNEC aqua (intermittent, freshwater) | 140.9 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 552 mg/kg dwt | |
| PNEC sediment (marine water) | 552 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 28 mg/kg dwt | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) | | |
|---|--|--|
| PNEC (Oral) | | |
| PNEC oral (secondary poisoning) | 160 mg/kg food | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 2251 mg/l | |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, | cyclics, <5% n-hexane | |
| DNEL/DMEL (Workers) | | |
| Long-term - systemic effects, dermal | 773 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 2035 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Long-term - systemic effects,oral | 699 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 608 mg/m³ | |
| Long-term - systemic effects, dermal | 699 mg/kg bodyweight/day | |
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-pro | opanol; propylene glycol monoethyl ether (1569-02-4) | |
| DNEL/DMEL (Workers) | | |
| Acute - systemic effects, inhalation | 500 mg/m³ | |
| Long-term - systemic effects, dermal | 74 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 106 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Acute - systemic effects, inhalation | 300 mg/m³ | |
| Long-term - systemic effects,oral | 14 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 127 mg/m³ | |
| Long-term - systemic effects, dermal | 44.3 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 10 mg/l | |
| PNEC aqua (marine water) | 1 mg/l | |
| PNEC aqua (intermittent, freshwater) | 19 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 37.6 mg/kg dwt | |
| PNEC sediment (marine water) | 3.76 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 1.97 mg/kg dwt | |
| PNEC (Oral) | | |
| PNEC oral (secondary poisoning) | 142 mg/kg food | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 1250 mg/l | |
| ethanol; ethyl alcohol (64-17-5) | | |
| DNEL/DMEL (Workers) | | |
| Acute - local effects, inhalation | 1900 mg/m³ | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ethanol; ethyl alcohol (64-17-5) | | |
|--|--------------------------|--|
| Long-term - systemic effects, dermal | 343 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 950 mg/m³ | |
| DNEL/DMEL (General population) | | |
| Acute - local effects, inhalation | 950 mg/m³ | |
| Long-term - systemic effects,oral | 87 mg/kg bodyweight/day | |
| Long-term - systemic effects, inhalation | 114 mg/m³ | |
| Long-term - systemic effects, dermal | 206 mg/kg bodyweight/day | |
| PNEC (Water) | | |
| PNEC aqua (freshwater) | 0.96 mg/l | |
| PNEC aqua (marine water) | 0.79 mg/l | |
| PNEC aqua (intermittent, freshwater) | 2.75 mg/l | |
| PNEC (Sediment) | | |
| PNEC sediment (freshwater) | 3.6 mg/kg dwt | |
| PNEC sediment (marine water) | 2.9 mg/kg dwt | |
| PNEC (Soil) | | |
| PNEC soil | 0.63 mg/kg dwt | |
| PNEC (Oral) | | |
| PNEC oral (secondary poisoning) | 0.72 g/kg food | |
| PNEC (STP) | | |
| PNEC sewage treatment plant | 580 mg/l | |
| | | |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protection equipment

Personal protective equipment symbol(s):





Eye and face protection

Eye protection:

Use eye protection according to EN 166. Safety glasses with side shields

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Nitrile gloves are recommended.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Approved organic vapour respirator. Filter type: AX

Thermal hazards

Thermal hazard protection:

Not expected to present a significant hazard under anticipated conditions of normal use. Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless.

: CO2 propelled liquid. Appearance Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point

Flammability : Extremely flammable aerosol.

Explosive properties : Pressurised container: May burst if heated.

Lower explosion limit : Not available Upper explosion limit : Not available Flash point : -35 °C (closed cup) : > 200 °C

: Not available Decomposition temperature : Not applicable рΗ : < 20.5 mm²/s at 40 °C Viscosity, kinematic : Insoluble in water. Solubility Partition coefficient n-octanol/water (Log Kow) : Not applicable Vapour pressure : Not available : Not available Vapour pressure at 50°C : 0.774 at 20 °C Density : 0.774 at 20 °C Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Auto-ignition temperature

Information with regard to physical hazard classes

% of flammable ingredients : 75 – 100 %

Other safety characteristics

VOC content : 745 g/l

Additional information : For aerosols data for the product without propellant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

Skin corrosion/irritation

Serious eye damage/irritation

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

: Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) | |
|--|---|--|
| propan-2-ol; isopropyl alcohol; isopropano | l (67-63-0) | |
| LD50 oral rat | 5840 mg/kg bodyweight | |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | | |
| LD50 oral rat | 5841 mg/kg | |
| LD50 dermal rat | 2800 – 3100 mg/kg bodyweight | |
| LC50 Inhalation - Rat | > 25.2 mg/l/4h | |
| Methylal (109-87-5) | | |
| LD50 oral rat | 6423 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg bodyweight | |
| methanol (67-56-1) | | |
| LD50 oral rat | 1187 mg/kg | |
| LD50 dermal rabbit | 300 mg/kg | |
| LD50 dermal | 15800 mg/kg bodyweight | |
| LC50 Inhalation - Rat (Dust/Mist) | 128.2 mg/l | |
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether (1569-02-4) | | |
| LD50 oral rat | 4400 mg/kg | |
| LD50 dermal rabbit | 8100 mg/kg | |
| LC50 Inhalation - Rat | > 9.59 mg/l/4h | |
| ethanol; ethyl alcohol (64-17-5) | | |
| LD50 oral rat | 15010 mg/kg bodyweight | |
| LD50 dermal | 15800 mg/kg bodyweight | |
| LC50 Inhalation - Rat (Vapours) | > 116.9 mg/l/4h | |

: Causes skin irritation.

pH: Not applicable

: Causes serious eye irritation. pH: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Not classified (Based on available data, the classification criteria are not met) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

| STOT-single exposure | : May cause drowsiness or dizziness. | |
|---|---|--|
| propan-2-ol; isopropyl alcohol; isoprop | panol (67-63-0) | |
| STOT-single exposure | May cause drowsiness or dizziness. | |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | | |
| STOT-single exposure | May cause drowsiness or dizziness. | |
| methanol (67-56-1) | | |
| STOT-single exposure | Causes damage to organs. | |
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethox | y-2-propanol; propylene glycol monoethyl ether (1569-02-4) | |
| STOT-single exposure | May cause drowsiness or dizziness. | |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) | |
| Methylal (109-87-5) | | |

| LOAEC (inhalation, rat, vapour, 90 days) | 1000 mg/l/6h/day | |
|--|-------------------------|--|
| NOAEC (inhalation, rat, vapour, 90 days) | 2000 mg/l/6h/day | |
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether (1569-02-4) | | |
| LOAEC (inhalation, rat, vapour, 90 days) | 8.36 mg/l/6h/day | |
| NOAEL (oral, rat, 90 days) | < 1792 mg/kg bodyweight | |
| NOAEL (dermal, rat/rabbit, 90 days) | 1800 mg/kg bodyweight | |
| NOAEC (inhalation, rat, vapour, 90 days) | 1266 mg/l air | |
| ethanol; ethyl alcohol (64-17-5) | | |
| NOAEL (subchronic, oral, animal/female, 90 days) | > 9400 mg/kg bodyweight | |

Aspiration hazard : May be fatal if swallowed and enters airways.

| KONTAKT PCC | | |
|---|------------------------------------|--|
| Vaporizer | Aerosol | |
| Viscosity, kinematic | < 20.5 mm ² /s at 40 °C | |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | | |
| Viscosity, kinematic | 0.7 mm²/s at 20 °C | |
| Methylal (109-87-5) | | |
| Viscosity, kinematic | 0.371 mm²/s | |

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

| (CHIOHIC) | | | |
|---|--|--|--|
| propan-2-ol; isopropyl alcohol; isopro | panol (67-63-0) | | |
| LC50 - Fish [1] | 10000 mg/l | | |
| LC50 - Fish [2] | 9640 mg/l | | |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | | | |
| LC50 - Fish [1] | 11.4 mg/l | | |
| EC50 - Crustacea [1] | 3 mg/l | | |
| EC50 72h - Algae [1] | 10 mg/l | | |
| LOEC (chronic) | 0.32 mg/l | | |
| NOEC (chronic) | 0.17 mg/l | | |
| NOEC chronic fish | 2.04 mg/l | | |
| NOEC chronic crustacea | 1 mg/l | | |
| Methylal (109-87-5) | | | |
| LC50 - Fish [1] | > 1000 mg/l | | |
| EC50 - Crustacea [1] | > 1200 mg/l | | |
| EC50 72h - Algae [1] | 9120 mg/l | | |
| EC50 96h - Algae [1] | 874.12 mg/l | | |
| ErC50 algae | 9120 mg/l | | |
| NOEC (chronic) | 150.5 mg/l | | |
| NOEC chronic fish | 450281 mg/l | | |
| methanol (67-56-1) | | | |
| LC50 - Fish [1] | 10800 mg/l | | |
| EC50 - Other aquatic organisms [1] | 10000 mg/l | | |
| EC50 - Other aquatic organisms [2] | 12000 mg/l | | |
| EC50 96h - Algae [1] | 22000 mg/l | | |
| 1-ethoxypropan-2-ol; 2PG1EE; 1-ethox | y-2-propanol; propylene glycol monoethyl ether (1569-02-4) | | |
| LC50 - Fish [1] | 4600 – 10000 mg/l | | |
| EC50 - Crustacea [1] | 21100 – 25900 mg/l | | |
| EC50 72h - Algae [1] | > 1000 mg/l | | |
| NOEC (chronic) | > 180 mg/l | | |
| NOEC chronic fish | > 260 mg/l | | |
| ethanol; ethyl alcohol (64-17-5) | | | |
| LC50 - Fish [1] | 14.2 g/l | | |
| EC50 - Other aquatic organisms [1] | 5012 mg/l | | |
| | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ethanol; ethyl alcohol (64-17-5) | |
|----------------------------------|----------|
| ErC50 algae | 275 mg/l |
| NOEC (chronic) | 9.6 mg/l |

12.2. Persistence and degradability

| KONTAKT PCC | |
|-------------------------------|---|
| Persistence and degradability | Not established. No data is available on the degradability of this product. |

12.3. Bioaccumulative potential

KONTAKT PCC Partition coefficient n-octanol/water (Log Kow) Not applicable Carbon dioxide (CO2) (124-38-9) Partition coefficient n-octanol/water (Log Pow) 0.83 Methylal (109-87-5) Partition coefficient n-octanol/water (Log Pow) 0 methanol (67-56-1) Partition coefficient n-octanol/water (Log Pow) -0.7 1-ethoxypropan-2-ol; 2PG1EE; 1-ethoxy-2-propanol; propylene glycol monoethyl ether (1569-02-4) Partition coefficient n-octanol/water (Log Pow) < 1 ethanol; ethyl alcohol (64-17-5)

12.4. Mobility in soil

| methanol (67-56-1) | |
|--------------------|------|
| Mobility in soil | 2.75 |

12.5. Results of PBT and vPvB assessment

Partition coefficient n-octanol/water (Log Pow)

| KONTAKT PCC | |
|---------------------------|--|
| Results of PBT assessment | Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII |

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Additional information : No other effects known

Global warming potential (GWP) : 0.05 (Fluorinated greenhouse gases - (EC) No 2024/573)

-0.32

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : According to the European Waste Catalogue (EWC), Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 4.1. UN number or ID n | umber | | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 4.2. UN proper shippin | g name | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| ransport document descr | iption | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2. |
| 4.3. Transport hazard o | class(es) | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| 2 | 2 | 2 | 2 | 2 |
| I4.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 4.5. Environmental haz | ards | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 2Special provisions for carriage - Packages (ADR): V14Special provisions for carriage - Loading, unloading: CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2
Tunnel restriction code (ADR) : D

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

: SG69

Limited quantities (IMDG): SP277Excepted quantities (IMDG): E0Packing instructions (IMDG): P207, LP200Special packing provisions (IMDG): PP87, L2Stowage category (IMDG): NoneStowage and handling (IMDG): SW1, SW22

Air transport

Segregation (IMDG)

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200

Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage - Packages (RID) : W14

Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

30/08/2024 (Revision date) GB - en 15/18

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 745 g/l

Detergent Regulation (648/2004)

| Labelling of contents | |
|------------------------|--------|
| Component | % |
| aliphatic hydrocarbons | 15-30% |

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

BCF Bioconcentration factor

BLV Biological limit value

BOD Biochemical oxygen demand (BOD)

COD Chemical oxygen demand (COD)

DMEL Derived Minimal Effect level

DNEL Derived-No Effect Level

EC-No. European Community number
EC50 Median effective concentration

EN European Standard

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LC50 Median lethal concentration

LD50 Median lethal dose

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disruptor |

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aerosol 1 | Aerosol, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H280 | Contains gas under pressure; may explode if heated. |
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H370 | Causes damage to organs. |
| H371 | May cause damage to organs. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 1 | Specific target organ toxicity – single exposure, Category 1 |
| STOT SE 2 | Specific target organ toxicity – Single exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC. The products are governed by Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP); Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (in each case, as amended and replaced) and other applicable laws. It is an importers or downstream users responsibility to ensure compliance of product they import. An SDS provided in the official language(s) of a country is not a guarantee of compliance in that country.